# **SAFETY DATASHEET**

# **Section 1**

SDS DATE: 25 June 2019

MANUFACTURER: Carbon Activated Corp Australia

74-80 Fitzgerald Rd

Laverton North, VIC 3026

**EMERGENCIES:** +61 1300 742 223

**PRODUCT IDENTIFICATION:** COL-PA60 (4mm) **CHEMICAL NAME:** Activated Carbon

CHEMICAL FORMULA:

**SYNONYMS:** Coal base Non-impregnated pellet

# **Section 2**

## **INGREDIENTS**

Chemical Name (CAS #)	%	PEL (OSHA)	TLV (ACGIH)	OTHER
Carbon* (7440-44-0)	100	N/A	N/A	N/A

There are no established PEL, TWA or TLV values for this material. Caution should be taken for respirable dust. The product has no known carcinogenic properties.

# **Section 3**

## **PHYSICAL DATA:**

Specific Gravity, (H2O = 1): 3.5

Solubility in water: Insoluble
Apparent Density: 0.50 - 0.60 g/cc

Vapor Pressure:

N/A
Flammability

N/A
Melting Point:

N/A
Boiling Point:

N/A
Freezing Point:

N/A
Appearance and Odor:

N/A
Pellets

<sup>\*</sup>ACGIH (TWA) for reparable dust is 2.5 mg/m3

## **FIRE & EXPLOSION DATA:**

Extinguishing media: Alcohol foam, CO<sub>2</sub>, dry chemical, water.

Special Firefighting procedures: Exercise caution when responding to any chemical fire.

**Respiratory Protection is essential** 

Unusual fire & explosion hazards: Contact of activated carbon with strong oxidizers may

cause rapid combustion. Contact of Phosphoric acid with certain metals may liberate hydrogen which is flammable and readily forms explosive mixtures in air.

Decomposition Products: CO may be formed in fire.

Thermal Decomposition: Sulfur Oxides (SO<sub>x</sub>)

#### Section 5

## **HEALTH HAZARD DATA:**

Route (s) of Entry:

Ingestion: Carbon is non-toxic through ingestion

Inhalation: The physical nature of carbon may irritate the respiratory system

Skin: Carbon is non-toxic through skin absorption

Eye Irritation: The physical nature of carbon may cause, eye irritation.

#### Section 6

## **EMERGENCY & EIRST AID PROCEDURES:**

In case of inhalation remove to fresh air. Administer first aid as appropriate. Seek medical attention.

In case of ingestion do not induce vomiting. Dilute by giving water or milk. Seek medical attention.

Skin Contact: Wash thoroughly with water. If irritation persists seek medical attention.

In case of eye contact flush with lukewarm water for at least 15 minutes. Seek medical attention.

# OTHER:

The effects of chronic and sub-chronic exposure have not been determined. Safe handling on a long-term basis should emphasize protection against respective or long-term exposure to carbon dust inhalation and avoidance of contact to any liquids that may leach off the impregnated carbon.

# **Section 7**

# **FIRE FIGHTING MEASURES**

Flashpoint: Not Applicable. Non-flammable: 16CFR1500.44.

Not Self Heating: UN Manual of Tests and Criteria, Test N.3.

Flammability Limits in Air: LFL and UFL Not Applicable.

# SAFETY DATASHEET - COL-IK60

# **GENERAL HAZARD:**

Activated carbon is difficult to ignite and tends to burn slowly (smoulder) without producing smoke or flame. Toxic gases will form upon combustion.

## FIRE FIGHTING INSTRUCTIONS:

If possible to do safely, move smouldering activated carbon to a non-hazardous area, preferably out of doors. Extinguish fire using water fog, fine water spray, carbon dioxide or foam. Avoid stirring up dust clouds.

## FIRE FIGHTING EQUIPMENT:

Fire fighting personnel should wear full protective equipment, including self-contained breathing apparatus (SCBA) for all inside

fires and large outdoor fires.

## HAZARDOUS COMBUSTION PRODUCTS:

Combustion products may include smoke and oxides of carbon (for example, carbon monoxide). Materials allowed to smoulder for long periods in enclosed spaces, may produce amounts of carbon monoxide which reach the lower explosive limit (carbon monoxide LEL = 12.5% in air). Under certain conditions, any airborne dust may be an explosion hazard. Used activated carbon may produce additional combustion products.

#### **Section 8**

#### **REACTIVITY DATA:**

Incompatibility. Avoid strong oxidizers and liquid acids.

Stable: Yes Conditions to avoid: Yes

Hazardous Decomposition Products: Oxides of Carbon Hazardous Polymerization: Will not occur

## Section 9

# **SPILL & LEAK PROCEDURES:**

Reportable Quantities: No EPA requirements

Steps to be taken in the event if a spill: Sweep up, neutralize and discard in protected refuse

container. Do not release to sewer or waterway.

Waste Disposal Method: Unused product may have a lot pH. Used product may

contain hazardous chemicals or hazardous properties that may have to be examined to determine proper disposal method. Dispose of in accordance with local, stare, and

federal regulations

Disposal Considerations: Activated carbon, in its original state, is not a hazardous

material or hazardous waste. Follow applicable governmental regulations for waste disposal. Used activated carbon may become classified as a hazardous waste depending upon the application. Follow applicable regulations for disposal. Recycling (reactivation) may be a viable alternative to disposal. Contact Carbon Activated

Corp. for information.

## SPECIAL PROTECTION INFORMATION:

Respiratory Protection: Use NIOSH/MSHA approved respiratory protection

equipment appropriate to the material and/or its concentration where airborne exposure is likely. If

exposures cannot be kept to a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for a given application.

Observe respirator use limitations specified by

NIOSH/MSHA or the manufacturer.

Ventilation/Local Exhaust: Essential in confined areas.

Eye Protection: Safety glasses or goggles with side shields are

recommended for any type of handling. Where eye contact or dusty conditions may be likely, dust tight goggles are recommended. Have eye flushing equipment available.

Engineering Controls: Use local exhaust ventilation to control emissions near the

source. Ventilation systems should be sized and configured to prevent exceeding of recommended or regulated

exposure limits.

Skin Protection: Avoid contact with the skin. Wear appropriate dust

resistant clothing. Wash contaminated clothing and clean protective equipment before reuse. Wash skin thoroughly

after handling. Protective Gloves Recommended

Hygienic Practices: Wash thoroughly after handling.

Airborne Exposure Guidelines:

Recommended Exposure Limits Activated Carbon

8-hr TWA

Total Dust 10 mg/m3\* Respirable Fraction 3 mg/m3\*

## **Section 11**

## STORAGE AND HANDLING INFORMATION:

Storage Temperature: Ambient
Storage Pressure: Atmospheric

Handling: Follow good handling and housekeeping practices to

minimize spills, generation of airborne dusts, and accumulation of dusts on exposed surfaces. Use with adequate exhaust ventilation to draw dust away from workers' breathing zones. Prevent or minimize exposures

to dusts by using appropriate personal protection equipment. Wash exposed skin areas thoroughly with

soap and water after handling.

<sup>\*</sup>OSHA and ACGIH have not established specific exposure limits for this material. The recommended exposure limits for these activated carbon products are base on the Threshold Limit Values adopted by ACGIH for Particulates (insoluble) Not Otherwise Classified. The OSHA PEL for Nuisance Dust is 15 mg/m3 (5 mg/m3 respirable fraction).

## SAFETY DATASHEET – COL-IK60

Storage: Dry airtight storage recommended. Maintain good housekeeping. Store away from strong

oxidizers such as ozone, liquid oxygen, chlorine, permanganate, etc.

## Section 12

# **ECOLOGICAL AND TOXICOLOGICAL INFORMATION**

This material, in its original state, is not harmful to the environment. Used activated carbon may exhibit characteristics of the adsorbed material.

This material is non-toxic in its original state. Used activated carbon may exhibit characteristics of the adsorbed material.

#### Section 13

## **FEDERAL REGULATIONS:**

OSHA Hazard Communication: See "Particulates not otherwise regulated," in Table Z-1,

Standard, 29CFR1910.1200: of 29CFR1910.1000, "Limits

For Air Contaminates".

CERCLA/SUPERFUND, 40CFR117, 302: Notification of spills of this material is not required.

SARA/SUPERFUND: Amendments and Reauthorization Act of 1986 (Title III),

Sections 302, and 313:. SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40CFR355): This product is not listed as an extremely hazardous substance. SECTION 313 - LIST OF TOXIC CHEMICALS: This product is not

listed.

Toxic Substances Control Act, 40CFR710: Activated carbon is on the inventory list.

Resource Conservation and Recovery Act: This product, in its original state, does not meet the

criteria of hazardous waste.

# STATE REGULATIONS:

California Occupational Safety and Health: • Not listed.

Massachusetts Substance List: • Not listed.

New Jersey Right-to-Know: • Not listed.

Pennsylvania Right-to-Know: • Not listed.

# **HMIS INDEX:** HMIS Index details are as follows, **HEALTH:** 0 **FLAMMABILITY:** 1 **REACTIVITY:** 1 PPE: Ε E 077+ 🖛 + 🐼 **Section 15** TRANSPORTATION INFORMATION DOT (Department of Transportation) Proper Shipping (Article) Name: Steam Activated Carbon, Non-Regulated OR Carbon, Activated, Non-Regulated **Shipping Class:** Class 70 **Hazard Class:** Not applicable. **UN/NA Number:** Not applicable. Not applicable. Packing Group: Freight Classification: STCC Code - #2899643 / NMFC #040560 DOT Marking: N/A **DOT Placard:** N/A Precautions to be taken in Transportation: N/A **EMERGENCY ACCIDENT PRECAUTIONS AND PROCEDURES:**

Contact: Carbon Activated Corporation Australia

Phone: 1300 742 223

# **SPECIAL PRECAUTIONS:**

Precautions to be taken in handling and storage:

Avoid excessive contact with moisture. Activated carbon can be safely stored in any normal storage area, but away from sources of direct heat

Other precautions:

Wet activated carbon depletes oxygen from the air creating a severe hazard to workers in enclosed or confined spaces, sampling and work procedures for low oxygen levels should be taken whenever workers entering carbon vessels, enclosed or confined spaces.