

TWIN UNDER SINK SYSTEM WITH DEDICATED DRINKING TAP

USER MANUAL

CONTENTS

About Us	3
Product Features	4-6
System Components Filter Stages Filter Variations System Specifications	4 5 5 6
Installation Guide	7-8
Installing Your New System Opening & Cleaning Your System	7-8 8
Replacing Your Filters	9
Thank You! Leave a Review	10

ABOUT US

Clarence Water Filters is a family-owned business based in sunny Yamba, NSW.

In business for over 20 years, we have sent thousands of water filtration systems and replacement water filters to customers Australiawide.

Clarence Water Filters employs local staff members and works in partnership with dozens of other Australian small businesses. So when you buy products from us, you are supporting a small, family owned, Aussie-owned business.

We aren't Amazon, Aldi, Bunnings, Coles, or Woolies — we have no shareholders or foreign investors, so all of our profits are re-invested in local families and within the Australian community.

Our mission is simple

We strive to help customers enjoy clean and safe drinking water in their homes and businesses – at an affordable price.

Our focus is quality, value, and customer care.

Our Commitment to Quality

Another one of our core beliefs is that quality matters. That's why the majority of our products are from the United States, United Kingdom, and Taiwan. Countries with high manufacturing standards.

We prefer to stock products from reputable companies that are known for making high-quality products — even if it costs us more to buy these brands.

The logic is simple. High-quality products make our customers happy. They enjoy higher quality water and reliable filtration systems. That's why they return to us whenever they need replacement filters or a new water filter system.

CONTACT US

(02) 6646 8565 sales@clarencewaterfilters.com.au www.clarencewaterfilters.com.au

PRODUCT FEATURES



Twin Under System Components

- 1. Pressure Limiting Valve (PLV)
- 2. White Bracket
- 3. Housing Head x 2
- 4. Housing Sump x 2
- 5. Spanner
- 6. Stage 1 Filter: 10" x 2.5" Sediment Filter
- 7. Stage 2 Filter: 10" x 2.5" Carbon Filter
- 8. 1/4" Bsp System Water Inlet
- 9. 1/4" Bsp System Water Outlet
- 10. 1/4" High Pressure Tubing x 3 metres
- 11. 1/2" Female to 1/4" Tube and 1/2" Male Angled Stop Valve
- 12. Thread Tape
- 13. 1/4" Bsp to 1/4" Tube Elbow x 2
- 14. Dedicated Drinking Tap

PRODUCT FEATURES

Filters Included With Your System

Stage 1 Filter: 1025PS Sediment Filter

The 1025PS is a polyspun sediment filter which will reduce sediment, rust, algae, sand, silt, fine metal particles etc. This filter comes in a number of micron ratings. The smaller the number the finer the filtration.

These filters will require replacing every 6-12 months depending on the quality of your water.

Filter Variations

Sediment Filter Options

1025PS0.5 - 0.5 Micron sediment filter for fine particle filtration.

<u>1025PS1</u> - 1 Micron sediment filter for fine particle filtration.

Stage 2 Filter: 1025 Carbon Filter

The second stage filter is a 1025 carbon filter of which there are a number of options to choose from. There are carbon block, ceramic and granular carbon filters which you will choose depending on your situation and requirments. You can find a listing of these below.

These filters will also require replacing every 6-12 months depending on the quality of your water.

Carbon Filter Options

WC04- High Quality 0.45 Micron activated carbon block filter. USA Made (Town Water)

GTS1-10- 1 Micron Silver Impregnated Carbon Block Water Filter. Silver prevents bacteria growth in the filter itself (Tank Water)

<u>1025UltraCarb</u> - 0.9 Micron Ceramic Carbon Filter (Tank Water)

AP1025KDF/GAC - High capacity 10 Micron silver impregnated granular carbon filter with KDF55 for high levels of chlorine (Town & Tank Water)

PB1-PFAS - 0.5 Micron nominal carbon block filter (Town Water)

PRODUCT FEATURES

Twin Under Sink System Specifications

Dimensions: 275mm wide (Including fittings) x 130mm deep x 325mm high (allow an extra 50mm under the system for changing the filters)

Maximum pressure: 90psi

Materials: Custom engineered, chemical resistant, reinforced American made polypropylene

Temperature range: 4.4°C − 37.8°C

AS/NZS 3497:1998 Amdt 1 2001 Drinking Water Treatment Units Plumbing Requirements WaterMark Certificate 23124, IT002715

INSTALLATION GUIDE

Installing Your System

• It is recommended that a licenced plumber install your new system.


Installing the tap:

- Check the corner of the sink (flat section) and corresponding underside where the thread will go to ensure there are no obstructions
- Mark the centre of the hole using a nail or centre punch.
- Drill a hole using a 5mm bit and slowly increase in size until 12mm. You will need to use a couple of drops of water as you go.
- Fit tap through hole and secure washer and nut under the sink (Diagram page 8)

Installing the system:

- Turn off the water supply and release water pressure by running cold water tap.
- Identify the cold water wall tap or fitting.
- Undo the existing cold water line from wall tap or fitting and fit the 1/2" Female to 1/4" Tube and 1/2" Male Angled Stop Valve/shut off tap and reconnect the cold water line.
- Cut a short piece of tubing to connect the angle stop valve and the pressure limiting valve ensuring you check the flow direction on the valve.
- Fit the filter system inside your cupboard. The bracket can be screwed to the wall or the system can be left loose or lying flat. If securing ensure that you allow 50mm under the system to allow for changing filters.
- Run thread tape 10-14 times around the 1/4" bsp thread of your elbow fittings and screw into the inlet and outlet side of your system.
- Cut a piece of tubing and run between the outlet side of the pressure limiting valve to the inlet side of your water filter system.
- The remaining tubing will connect your outlet side of the system to you tap (Diagram Page 8)
- Turn on the shut of valve and your dedicated drinking tap and allow water to flush your new filters for 2-3 minutes or until water runs clear.

INSTALLATION GUIDE



Opening & Cleaning Your System

- 1. Turn off the water supply to the system, release the water pressure in the pipes by opening the dedicated drinking tap and leaving on.
- 2. Use the housing spanner to undo the sumps, turning from RIGHT to the LEFT.
- 3. Remove the dirty filters and using a bottle brush, clean the housing sumps & head, then rinse with clean water.
- 4. Using a clean cloth or paper towel, wipe around the O-ring seal and where it seats. Before replacing the O-ring, use a small amount of food grade silicone grease to keep the O-ring supple and provide a watertight seal (vegetable or cooking oil will do the same job do not use petroleum based lubricants).
- 5. Only hand tighten the housing sumps do not use the spanner then wipe dry with a clean cloth.

REPLACING YOUR FILTERS

As a guide we recommend replacing your filters every 6 - 12 months.

Reordering your filters is as simple as scanning the QR code on your system or visiting www.clarencewaterfilters.com.au Replacement filters can also be ordered by contacting our friendly sales team on (02) 66468565.

Replacing your filters is a simple procedure that does not require a plumber. Follow the instructions below to safely and successfully change your filters

Replacing & Flushing Your Filters

- 1. Turn off water supply.
- 2. Release pressure from system by turning on the dedicated drinking tap and leaving on.
- 3. Using the spanner provided undo both filter sumps, remove and discard old filters then clean inside of sumps and lubricate O-rings.
- 4. Place your sediment filter in the first sump and your choice of carbon filter in the second sump and hand tighten (do not use spanner).
- 5. Turn on water supply and allow to run for 2-3 minutes or until water runs clear.
- 6. Turn tap on and off slowly a few times to allow any trapped air to escape.



THANK YOU!

We would like to thank you for supporting our small family business and hope that we can continue to provide you with your water filtration products.

We value your feedback so if you have any questions or concerns please don't hesitate to get in touch with our friendly team.

Google reviews are important to us! If you have been happy with your experience we'd love to hear from you. Scan the QR Code to leave us a review.



